

An experimental study of Canal Water Purification in Chochocho Bushbuckridge Municipality Mpumalanga Province

Hluphi Constance Mafuwane^{1*}, Mammo Muchie²

^{1*,2}Tshwane University of Technology Business school, South Africa.

Email: ^{1*}moganec50@gmail.com, ²muchiem@tut.ac.za

Keywords

Polluted Water, Water Purification, Chochocho, Mpumalanga, Moringa Seeds.

Article History

Received on 25th August 2022

Accepted on 03rd October 2022

Published on 12th October 2022

Cite this article

Mafuwane, H. C., & Muchie, M. (2022). An experimental study of Canal Water Purification in Chochocho Bushbuckridge Municipality Mpumalanga Province. *Green Chemistry & Technology Letters*, 8(2), 07-14. <https://doi.org/10.18510/gctl.2022.8.22>

Copyright @Author

Publishing License

This work is licensed under a [Creative Commons Attribution-Share Alike 4.0 International License](https://creativecommons.org/licenses/by-sa/4.0/)



Abstract

Purpose: The purpose of this research is to evaluate the social, economic, and political feasibilities of providing water purification technologies to rural areas of Bushbuckridge Municipality, specifically Chochocho residents.

Methodology: For this study, the following techniques were used: Questionnaire survey, simple survey, Observation, and group focus. Data was collected by fieldwork visiting the community members drinking polluted water and getting information utilizing calling individuals. Random sampling was done for this study from community members in Chochocho in Mpumalanga to collect data from known and unknown individuals and municipal officials. During the survey, we observed that residents were drinking polluted water.

Main Findings: The study results show that *Moringa oleifera* powder cleans polluted water quicker and cheaper than paper filters and homemade filters.

Implications of study: The results of this study can serve as a foundation for investors interested in entering the technological market. Therefore, Bushbuckridge municipality needs to develop a business strategy to assist the municipality in approaching water purification markets as a collective and social responsibility in the long term. The findings of this study can help the local municipality and the Department of water and sanitation to provide a water pipeline and erect a water purification plant to supply the community with clean water.

Novelty of the study: The study will demonstrate knowledge and skills to the young generation through research, and residents and the young generation will gain more innovative ways how to treat polluted water in Chochocho and increase the good health and livelihoods of residents in Chochocho in Bushbuckridge Municipality.

INTRODUCTION

Water scarcity is a burning issue for South Africa and the world. A country with a water shortage affects the livelihood of people and the environment at large. Water knows no boundaries, and as it flows, it links communities together through its many uses of this resource. The quality of a stream or river is often a good indication of the way of life within the community through which it flows. Water is one of the indicators of the socioeconomic conditions and environmental awareness and attitude of its users. Everything that happens in a catchment area is reflected in the quality of the water that flows through it. Human activity and lifestyle results ultimately end up in rivers through runoff. Many factors contribute to water shortage in the country, namely, drought, alien invasive plants, and many more. Due to a water shortage, primarily rural areas leave the community with no option of drinking or utilizing contaminated water. As a result, most people lose their lives or are affected by diseases. Without water, life cannot be sustained beyond a few days, and the lack of access to adequate water supplies leads to the spread of disease.

Groundwater and Safe water constitute the primary source of drinking water worldwide. Municipal and industrial chemicals pollute this water source. Industrial and municipal chemicals often pollute these water sources. Water treatment plants reduce the concentration of harmful chemicals in the water to non-toxic levels, and mandatory disinfection renders water non-hazardous from a bacteriological standpoint. However, conventional water treatment technologies using chlorine result in the formation of disinfectant by-products. Chlorine-based organic derivatives have been proven to be strongly carcinogenic. An additional problem arises from water pollution inside the distribution systems. It is due to the reproduction and decay of different microorganisms in water. This phenomenon can take place everywhere, regardless of the initial water disinfection.

Water pollution is the contamination of water sources by substances that make the water unusable for drinking, cooking, cleaning, swimming, and other activities. Pollutants include chemicals, trash, bacteria, and parasites. All forms of pollution eventually make their way to the water. The extensive debate about the importance of adequate water quantity, quality, sanitation, and hygiene has been documented for many years by various authors. Every person needs at least 20 - 50 liters of safe, clean water daily to drink, cook, and bathe. We are still ahead in reaching the global effort to make this a reality. Rivers, Wetlands, and Health streams support a variety of water life. Spring water, Rainwater, and tumbling mountain streams contain high oxygen levels.



The study by [Anderson, Woessner and Hunt \(2015\)](#) shows that local municipalities must have adequate capacity to preserve water sources and natural habitats in rural communities to safeguard the general environment. The two rural communities must utilize innovative methods of exploiting groundwater and springs to address the severe water shortage in the two communities ([Fan, 2015](#)).

The world is facing a growing water crisis where half of the world's population is expected to live in water-stressed areas by 2025. Today, over 2.5 billion people lack access to safely managed, clean drinking water that can be collected in a round trip of 30 minutes, according to the World Health Organization (WHO). South Africans were liberated in 1994, hoping to have access to free clean water, roads, and service delivery at large. Unfortunately, it is the opposite for some of the residents in rural areas like Chochocho. Those who have the privilege to clean water ensure they sell water to those less privileged. Most of them are unemployed. The National Development plan's main aim is to ease poverty and unemployment and to ensure that people receive service delivery like clean water and sanitation.

The reasons for water insecurity are complex. Part of it is due to population growth and the depletion of groundwater supplies. Thirty percent of the earth's freshwater lies in deep aquifers, which are being extracted at dangerously unsustainable amounts.

South Africa is currently overexploiting its renewable water resources. Water infrastructure in many places is crumbling, and billions of gallons of treated, safe drinking water are lost every year. Water is wasted in farming, irrigation, the production of energy, and other water-hungry industries.

Contaminated water and poor sanitation affect 780 million people, according to WHO, who mostly live in water-deficient, economically poor places. The WHO estimates that contaminated drinking water causes 502,000 deaths yearly from diarrhoea alone. Hence, an innovative way to purify polluted water is needed, especially in rural places. ([Kass et al. 2005](#); [Anwar 2003](#))

In many places, the problem is not that there is not enough water but that the water is contaminated. In developing countries, 80 percent of sewage is discharged untreated into waterways. There is a need for Innovative water Technology in Chochocho to develop water filtration systems like the Sun Spring Hybrid, a self-contained portable solar and wind-powered system that provides 20,000 liters of clean water a day for ten years or more. Water resources in the United States and globally are facing many challenges in quality and quantity due to several growing issues, such as population growth, development, and climate change. Innovative technologies offer the promise to address these challenges more cost-effectively and expeditiously. Municipalities need to work with private sectors and other water-related companies to improve the clean water supply in communities. This move will also eliminate strikes and crime in the country.

Excess nitrogen and phosphorus are among the leading causes of water pollution across the nation. Point sources (e.g., municipal wastewater treatment facilities, concentrated animal feeding operations) and nonpoint sources (e.g., agricultural activities, urban stormwater runoff, and septic systems) contribute to surface and groundwater nutrient pollution. Approximately 14,000 water bodies are affected by nutrient pollution throughout South Africa. Every province has nutrient-impaired waters that potentially have serious health and ecological effects (e.g., harmful algal blooms, oxygen dead zones, unhealthy drinking water).

The local health center or clinic takes care of more than 200 patients daily. Around ten percent of them suffer from diarrhoea. One of the reasons for most cases of diarrhoea and diarrhoea-related diseases is the quality of the water. The better water people access, the more significant the improvement in the entire population's health would be.

Cholera is a diarrhoeal disease that is very sudden in onset. It is characterized by a massive loss of body fluids through diarrhoea and vomiting, leading to severe dehydration, which can be fatal. The stool has the appearance of "rice water." Infants and small children show the most rapid advance of the illness. Untreated cholera cases can lead to death within 6 hours, depending on the degree of dehydration. The residents of Chochocho in Bushbuckridge Municipality in Mpumalanga are facing the issue of borne diseases due to polluted water collected from the nearest canal as the only water source they have when there is no rain.

Water-washed (water-scarce) diseases, such as polio, are diseases where transmission interruption is achieved through proper attention to adequate sanitation, washing, and personal hygiene. Regular washing of hands, especially after going to the toilet, is the most effective measure in preventing many infections, as is proper washing and hygiene during food preparation, with proper sanitation, waste disposal, and fly control. Covid 19 contributes to the shortage of water and Polluted water. People are expected to wear a mask and wash their hands regularly. There is no proper control of managing used masks. People dumped them everywhere, and some of the used masks landed in streams, rivers, and dams, ultimately polluting the drinking water. There is no awareness conducted and no proper waste management, and unaware littering.

Water-based diseases are diseases transmitted by contact with water, for example, recreational swimming. Water vector diseases, such as malaria, are transmitted by a vector, such as a mosquito, which needs water or moisture to breed. Prevention of transmission is through vector control.

Conserving and reusing water is essential to saving water. Water resources and diminished resources that occur because of drought drive the need for water conservation, efficiency, and reuse. For sustainable water usage in the future, cities and states are encouraging water conservation to reduce demand. Water reuse technologies have also been implemented



in numerous locations in developing countries and worldwide. For example, Israel reuses 70 percent of its domestic wastewater. There is a need for rural water purification to ensure people drink safe, clean water. Water is an essential commodity for human life; all life depends upon it. Water is also a critical input to production in several economic sectors. Every sector of the economy is influenced in some way by water.

Water knows no boundaries, and as it flows, it links communities together through its many uses of this resource. The quality of a stream or river is often a good indication of the way of life within the community through which it flows. It is an indicator of its users' socioeconomic conditions, environmental awareness, and attitude. Everything that happens in a catchment area is reflected in the quality of the water that flows through it. Human activity and lifestyle results ultimately end up in rivers through runoff.

South Africa is one of 16 sub-Saharan countries belonging to the Southern Africa Development Community. Around 40% of the community's population has no access to safe water - around 130 million people. In general, South Africa has a limited water supply, and the quality of this water is being threatened by pollution and the destruction of river catchments. Water is a vital resource, and it is up to all South Africans to act responsibly in their daily lives and look after the available water resources to ensure that this limited supply is usable by all life on earth. Everyone must become water cautious.

The study aims to provide an innovative way to produce clean, safe water by installing equipment to purify water in the rural community of Chochocho in Bushbuckridge Municipality in Mpumalanga Province, South Africa. With the growing complexity of water system problems, we need to deploy technology and other means available to us to improve our understanding, research, and management of this precious and limited resource. Current science has allowed us to understand better and seek solutions for significant global issues. However, we continue to be limited by our ability to access, use and organize the large amounts of data produced by new technologies. Due to accelerating climate change, the increasing frequency of natural disasters, and declining freshwater resources, there is increasing urgency to solve these problems. With these large datasets and collaboration with organizations and information, we may be able to find solutions. The study aimed to assess and evaluate the innovative way to purify polluted water that the rural community of Chochocho utilized in Bushbuckridge and Mbombela Mpumalanga Province. The study has the potential to assess technological ways to be used to purify polluted water into drinkable water. There is a shortage of studies in this area of study. The study aims to fill the gap by collecting data from Bushbuckridge and Mbombela rural communities in Mpumalanga Province.

LITERATURE

Water Act

The new Water Act does require that any well producing more than five liters per second be licensed. Many economic activities depend on groundwater, so groundwater's unavailability implies that most activities will come to a standstill. Poor are most vulnerable to a shortage of clean water in all parts of the world, especially in Sub-Saharan African countries. Ensuring easy and affordable access to clean and affordable water for all South Africans is a vital aspiration of the South African Government. Rural communities need water for farming and daily livelihood.

The water crisis in South Africa

South Africa is a country located at the Southern Tip of Africa. It is a home that houses 49 million people and more. This country has been stricken by long-standing apartheid to the devastation that diseases such as HIV/AIDS and TB have caused. Now another crisis looms in the distance: Water. As more and more people migrate into cities from rural villages, the pressure for the city to meet the water demands is ever increasing.

Many reasons contribute to this growing water crisis in South Africa. Climate change has affected water supplies within the region. Rains that usually come and supply the country's water have come infrequently. Some parts of the main river crocodile are polluted. Currently, the Dams at KwaZulu Natal are twenty percent lower than at the start of 2010. Due to this fact, cities are looking to impose water restrictions on communities. In Bushbuckridge municipality, some communities buy 20 liters of water for R2,00 for basic needs. Bushbuckridge is also facing the problem of stolen water from residents, and some community members are not ready to pay their bills in the townships. There is an illegal connection of water to other villages.

Also, preventative measures, such as the construction of dams in the area, have not even started or are still being built. Moreover, those structures that are in place now are slowly collapsing. Those in rural areas still lack access to water. One report stated that in 2008 about 5 million people lacked access to water, and 15 million lacked access to basic sanitation. This number has significantly improved since the end of apartheid in 1994. However, these numbers are still too high, and not one person should ever lack access to the most necessary of life, which is water.

South Africa boasts one of the cleanest water systems in the world; however, due to the lack of sanitation and access in the country's rural communities, the threat of water-borne disease is steadily increasing. The residents of Chochocho in Bushbuckridge depend on polluted canal water from Champaign. The Vaal River, the largest river in South Africa and a popular tourist destination, is becoming increasingly contaminated with faecal material due to the lack of sanitation supplies.



Overall, infrastructure is lacking; whether it is old pipes or ignorance, the South African water crisis is here and affecting millions. There has been a backlog in services since the end of apartheid, and that needs to change. The national and local governments of South Africa need to do a better job of offering services to their people. Supplies need to be given to those most in need. By taking care of the rural population, the government will be helping the cities because it is these rural communities where the damage to the water supply is beginning due to lack of access to sanitation supplies and clean water education.

Water supply in South Africa

Water supply systems in South Africa have not been able to provide and sustain adequate drinking water services, to all people, especially in Bushbuckridge Municipality. The main problem is a lack of sustainable access, to improved water supply services, for the people in an efficient manner. The problems are noticed as a lack of access to water supply and the poor and unsustainable services for people with access to water supply services. A large proportion of the population does not have access to improved services, and those with access are concerned with the quality of services, such as water quality, adequacy, reliability, and response to consumer complaints. Access to drinking water has increased in the past two years. Around 270,000 households access safe drinking water. As South Africans, we have a dream to be in a world without poverty, an equitable world, and a world that respects human rights. The world with increased and improved ethical behavior regarding poverty and natural resources. South Africans need an environmentally, socially, and economically sustainable world where economic growth is accomplished within the constraints of realizing social objectives of poverty, eradication, social equity, nature's life support, and carrying capacity. It needs to be a world where the challenges, such as climate change, loss of biodiversity, and social inequity, have been successfully addressed. It is an achievable dream, but the system is broken, and our current pathway will not realize it.

Water Crisis in Sub Saharan Continent

Ghana's water crisis: general context and overview Ghana's population is estimated at 20 million people, with 58% living in rural areas and 42% in urban areas. The World Health Organization and Joint Monitoring Program (JMP) for Water Supply and Sanitation define urban areas in Ghana to be areas with populations of 5,000 or more. By contrast, areas with less than 5,000 people are deemed rural (WHO,2004). More than half of Ghana's rural population is vulnerable to contaminated drinking water and water-related diseases like guinea worm and diarrhoea (WHO, 2004). The same water is typically used in Ghana for washing, bathing, cooking, and cleaning. It means there are numerous ways for pathogens to be introduced into drinking water supplies and subsequently cause infection. Of the prevalent diseases in Ghana, diarrhoea is the third most reported disease and the most common water-borne infirmity. The diarrheal disease accounts for 25% of infant mortality cases, estimated to be 110 per 1,000 in the year 2000. (WHO, 2004) Water-borne illnesses also affect life expectancy in Ghana. Currently, life expectancy is approximately 56 years.

Water supply

In rural areas, the central government generally allocates fewer resources to the low population density areas, delaying development and causing a lack of critical infrastructure. Currently, 56% of the population in the rural areas of Ghana's northern region do not have access to clean drinking water, and 92% do not have access to improved sanitation (WHO, 2000).

In Kenya, the Tana River provides water for 95% of Nairobi's residents and generates half of Kenya's hydropower. Excess sediment from eroding soil has been getting into the river, reducing reservoir capacity and increasing water treatment costs. The Upper Tana-Nairobi Water Fund, a public-private partnership involving the Kenyan government, private companies, and The Nature Conservancy, is investing upstream to help poor communities adapt farming and forestry practices that improve yields while reducing water use and soil erosion. (Mason et al., 2019)

Securing safe drinking water, sanitation, and hygiene for all in sub-Saharan Africa would require R35 billion per year in capital costs, just 0.5% of the total spending required for global infrastructure.

Invest in Green

Climate-proofing water systems are not just about pouring concrete into taller flood defenses or more giant dams. Governments and businesses can invest in nature to fill part of the infrastructure gap. Green infrastructure plays a massive role in providing safe, clean, and regular water flows from wetlands that buffer coasts from storms and aquifers that store water to forests that reduce erosion and help keep water free of sediment.

South Africa's water management

Improving South Africa's water management and infrastructure will reduce the climate vulnerability of people across the continent. Governments have a window of opportunity and a duty to their citizens to act now, and businesses and donors must back their efforts. Existing projects show that these investments pay off, with positive ripple effects across the economy.

On-site water treatment plants

Various technologies can provide on-site treatment, which varies in complexity and size. These solutions typically require capital investment, training, and maintenance but have the most significant potential for long-term, sustainable potable water solutions. An on-site facility aims to provide an affordable system that can be maintained by locals, who,

in many cases, will have limited knowledge and ability. Currently, the Ghanaian government does not provide on-site treatment facilities for rural regions due to the required high initial investment. However, in the future, the government may be able to create an investment climate that would foster the installation of on-site treatment facilities in rural areas. Groundwater wells: Northern Ghana has shallow groundwater wells, hand-dug wells, boreholes, and piped systems. Groundwater quality is generally potable but can contain high fluoride concentrations ([Dapaah-Siakwan et al., 2000](#)). In many areas, mining has contaminated groundwater. Locally, dug and maintained wells are a potential longer-term solution but usually require planning and outside assistance.

Drought and climate change

Poor rural communities often face greater exposure to climate hazards, such as more extreme rainfall or drought conditions, and have fewer resources to cope. By 2030, climate change could drive more than 100 million people globally into extreme poverty. In sub-Saharan Africa, 90% of the rural population depends on agriculture as their primary source of income, and over 95% of arable farming relies on rainfall. Rising temperatures and unpredictable rainfall caused by climate change are expected to lower crop yields and raise prices. Governments must establish policies to reduce risks up front and manage unavoidable risks.

METHODS AND MATERIALS

Two experiments were conducted to test the most effective and quicker method to purify polluted water into drinkable water. For this study, different methods were tested to resolve the issue of drinking polluted water in Chochocho Bushbuckridge Municipality through several technological ways,

Experiment 1: The following materials were used for the study: 100 x *Moringa oleifera* seeds (Horse Radish). 750 ml Glass of water, polluted water, 15x15 cm cloth, 10 cm wool for tying cloth, for each household. The process duration was one hour.



Figure 1: Moringa seeds powder + Dirty canal water = Clean water

A glass of 750 ml was filled with polluted water from the canal, and one powdered seed of moringa was added to 750ml of dirty water and stayed for 1 hour, and the water changed from dirty to clean.

Experiment 2: Homemade water filter with a 2-liter Bottle

Experiment 2: Water filtration was conducted to see and compare which method is effective in cleaning polluted water quicker and check which water the community prefers to drink after being purified.

Materials used: Put 250 ml of concrete rocks, 250 ml Charcoal, 250 ml stones, 250 ml sand and cotton, and timer for an hour.




Figure 2: Water filtering with sand, concrete, and charcoal

Table 1: Types of technologies that can be used in rural communities

No.	Type of Technologies to use in a rural area	Cheaper /Expensive	Comments
1	Solar Powered Water Filtration	Expensive to communities	Communities to assist with implementation
2	Moringa powder seeds	Cheaper	Each person can do it
2	Rainwater Harvesting	Cheaper	Easy to do
4	Water Bottle	Given as part of school nutrition for pupils at school and old age	Only applicable for learners and old age people
5	Water from Air – Zero Mass Water	Expensive	More technology needed
6	Recycle water	A cheaper way of water conservation	Use it for gardening

Table 2: Attributes that affect water shortage in Chochocho Bushbuckridge municipality

Item	Title of Subject	Significant factors
1	Factors undermining the proper utilization of Rainwater harvest	<ul style="list-style-type: none"> • Lack of awareness about the Water Act of 1998 (Act no. 36 of 1998) • Inability to expand water infrastructure • Ignorance • Lack of awareness about methods that are useful for conserving water • Lack of good leadership at the municipal level
2	Socioeconomic problems	<ul style="list-style-type: none"> • High unemployment and poverty • Inability to expand water infrastructure • Lack of participation by the private sector • Planting moringa oleifera in each household to purify water
3	Recommended actions	<ul style="list-style-type: none"> • Initiation of awareness campaigns about water conservation methods • Repairing leaking water pipes • Extending the current water infrastructure • Having community water forum meetings • Training communities about the importance of advanced water technology • The provision of incentives to the private sector • Enforcing the Water Act of 1998 effectively • Enforcing municipal bylaws effectively

RESULTS AND DISCUSSION

For this study, we have sourced the different technologies that can be applied to purify the polluted water used by the rural communities of Chochocho that they extract from the canal as their primary water source within one hour.

Table 2: shows a summary of results from the analyses of three key subjects of the study through the individual interview conducted with 30 members of the community selected in Chochocho Bushbuckridge municipality. Three items were discussed for this study. Item 1 covered the factors undermining the usage of Rainwater harvesting. Item 2 covered the socioeconomic and political aspects faced by the community, and the third theme covered the recommendations by respondents to tackle the water crisis faced by the community of Chochocho Bushbuckridge municipality in Mbombela.

Experiment 1 shows that within 50 minutes, the polluted water is purified to be drinkable. This is quicker only if the seeds are crushed into powdered and well prepared.

Experiment 2: Results show that homemade filtering is effective, but a glass of water slowly was full for 1h30 minutes. Therefore, all experiments have proven successful and less expensive but consume much time to achieve good results.

It is essential that other ways of assisting the community of Chochocho to have access to clean water can be considered. During the survey, boreholes were available, but no water came out. There is a need for extension of the pipeline from Acornhoek Mall to be extended to the Chochocho community to supply water. Each household has a tap in a yard; therefore, the water can be channeled to the yard. Routine can be made so that water is supplied to the community at least twice a week. People are aware of harvesting rainwater, but when it rains, they are ignorant about storing rainwater for bathing and clothing. Issue of awareness came out firmly where people mentioned that they are ignorant of harvesting rainwater. Some complaints about water tanks are that they do not have water tanks.

The Bushbuckridge area has good soil for food; only a few households have planted moringa oleifera, the community was taught about the use of moringa powdered seed as a water purification plant, and each household was given a plant. The canal water can only be used with a water sachet to purify the water.

Government must supply the community with sachet when there is no option other than to use the Canal water. Solar water disinfection must be implemented in each household to ensure each community member receives clean water. Operating cost is negligible if water bottles are reused. It is also recommended that communities or schools around Chochocho be assisted with water purifying machines that use solar energy. The community can buy at least 5 liters at a reasonable price. Water awareness raising must be conducted in the community facing a water crisis.

CONCLUSIONS

This study analyses the known alternatives for rural people of Mpumalanga. Safe drinking water is needed at present, and short-term solutions are essential. Of the identified solutions, only the personal water treatment alternatives are available short term. LifeStraw filters are particularly effective for villagers that need to travel throughout the day, allowing them to stop at a water source and drink clean water as needed. The disadvantage of focusing on personal options is that doing so may delay the implementation of longer-term, more sustainable solutions. The disadvantage is the cost; each person must spend approximately R2 per straw.

The government and other agencies must create on-site water treatment facilities for long-term solutions. While there are barriers to this long-term solution, such as cost, politics, and cultural adaptability, its emphasis on location-based treatment provides a high quantity of clean water to the community. To reap the economic and social benefits of a nation with access to clean, potable water, the country's leaders must focus on creating water infrastructure for rural regions.

Future work should focus on reducing waste generated from personal water treatment. Rural areas in Chochocho should have access to a water treatment facility. If drinking water can be obtained through vendors, even at a high cost, the incentives for new treatment plants or wells are reduced. For school children, at least each child should receive 5 liters of bottled water as part of school nutrition. The technologies not recommended for use in rural Chochocho are water sachets, cloth filters, solar filtration, and water bottles.

These approaches do not meet adequate drinking water standards. Water sachets generate excessive waste and have been shown not to meet WHO standards for clean water in studies. There is a need to reduce agricultural water demand by increasing the economic productivity of water. The community should reconsider the reuse of water.

ACKNOWLEDGEMENTS

The authors are grateful to (i) the Tshwane University of Technology, Industrial Engineering Division, and (ii) NRF funding for sustained support for ecological research.

REFERENCES

1. Ajmal, M., Rao, R.A.K., Anwar, S., Ahmad, J. and Ahmad, R., (2003). Adsorption studies on rice husk: removal and recovery of Cd (II) from wastewater. *Bioresource Technology*, 86(2), 147-149. [https://doi.org/10.1016/S0960-8524\(02\)00159-1](https://doi.org/10.1016/S0960-8524(02)00159-1)
2. Anderson, M.P., Woessner, W.W. and Hunt, R.J., (2015). Applied groundwater modeling: simulation of flow and advective transport. Academic Press. Anderson, M.P., Woessner, W.W. and Hunt, R.J., 2015. Applied groundwater modeling: simulation of flow and advective transport. Academic Press.
3. Anwar F (2003). Assessment and analysis of industrial liquid waste and sludge disposal at unlined landfill sites in an arid climate. *Waste Management*, 23(9), 817-824. [https://doi.org/10.1016/S0956-053X\(03\)00036-9](https://doi.org/10.1016/S0956-053X(03)00036-9)
4. Fang, J., Fan, H., Li, M. and Long, C., (2015). Nitrogen self-doped graphitic carbon nitride as an efficient visible light photocatalyst for hydrogen evolution. *Journal of Materials Chemistry*, 3(26), 13819-13826. <https://doi.org/10.1039/C5TA02257F>
5. God, V, Reshetnyak, I, God S, Shklyarova I and Rudenko, A. (2022). Innovative water purification method and device.
6. Kass A, Yechieli Gavrieli Y, Vengosh A, Starinsky A (2005). The impact of freshwater and wastewater irrigation on the chemistry of shallow groundwater: a case study from the Israeli Coastal aquifer. *J. Hydrol*, 300(1-4), 314-331. <https://doi.org/10.1016/j.jhydrol.2004.06.013>
7. Kwakye-Nuako G, P.B. Borketey, I. Mensah-Attipoe, R.H. Asmah, P.F. Ayeh-Kumi, (2007). Sachet drinking water in Accra: the potential threats of transmission of enteric pathogenic protozoan organisms. *Ghana Med. J.*, 41(2), 62-67. <https://doi.org/10.4314/gmj.v41i2.55303>
8. Movik, S. and de Jong, F., (2011). License to control: implications of introducing administrative water use rights in South Africa. *Law Env't & Dev. J.*, 7, 66.
9. Stoller J, Weeks J.R, Fink G.,(2012). Sachet drinking water in Ghana's Accra-Tema metropolitan area: past, present, and future. *J. Water Sanitation Hyg. Dev.*, 2 (2012), 223-240. <https://doi.org/10.2166/washdev.2012.104>
10. S. Dapaah-Siakwan, P. Gyau-Boakye, (2000). Hydrogeologic framework and borehole yields in Ghana. *Hydrogeol. J.*, 8(4), 405-416. <https://doi.org/10.1007/PL00010976>



11. Silva, J.C., Denny, R., Dorschel, C.A., Gorenstein, M., Kass, I.J., Li, G.Z., McKenna, T., Nold, M.J., Richardson, K., Young, P. and Geromanos, S., (2005). Quantitative proteomic analysis by accurate mass retention time pairs. *Analytical chemistry*, 77(7), 2187-2200. <https://doi.org/10.1021/ac048455k>.
12. WHO/UNICEF Joint Monitoring Programme for Water Supply and Sanitation. Global Water Supply and Sanitation Assessment 2000 Report. Geneva, World Health Organization, Water Supply, and Sanitation Collaborative Council and United Nations Children Fund. 2000.